

WHAT IS CLAIMED IS:

1. A tent, comprising:  
webbing attached to the tent and having a split therein  
so as to form at least two sections of the webbing;  
a ring attached to the webbing; and  
a pin having a loop, the loop extending around the ring,  
the pin being configured to attach to a pole for the tent, and  
the pin being captured between the two sections.
2. The tent of claim 1, wherein the webbing is attached  
to a floor edge of the tent.
3. The tent of claim 1, wherein the webbing is attached  
to a tent corner.
4. A fabric structure, comprising:  
means for attaching a ring to the fabric structure; and  
means for connecting a pole to the ring while leaving the  
ring free for rotation about said means for attaching in a  
direction transverse to a plane extending along the ring.
5. The fabric structure of claim 4, wherein the fabric  
structure comprises a tent.

6. The fabric structure of claim 5, wherein said means for attaching is attached to a floor edge of the tent.

7. The fabric structure of claim 5, wherein said means for attaching is attached to a tent corner.

8. The fabric structure of claim 4, wherein said means for attaching comprises webbing.

9. The fabric structure of claim 4, wherein said means for connecting comprises a pin.

10. The fabric structure of claim 4, wherein said means for connecting is anchored to said means for attaching.

11. A fabric structure, comprising:  
a ring attached to the fabric structure by a connection structure;  
a pole connector anchored to the connection structure while leaving the ring free for rotation about said connection structure in a direction transverse to a plane extending along the ring.

12. The fabric structure of claim 11, wherein the fabric structure comprises a tent.

13. The fabric structure of claim 12, wherein the connection structure is attached to a floor edge of the tent.

14. The fabric structure of claim 12, wherein the connection structure is attached to a tent corner.

15. The fabric structure of claim 12, wherein the connection structure comprises webbing.

16. The fabric structure of claim 15, wherein the webbing comprises at least two sections, and wherein the pole connector is positioned between the two sections.

17. The fabric structure of claim 16, wherein the pole connector is connected to the ring.

18. The fabric structure of claim 17, wherein the pole connector comprises a pin.

19. The fabric structure of claim 11, wherein the pole connector is connected to the ring.

20. The fabric structure of claim 19, wherein the pole connector comprises a pin.